



ISO Standards Handbook:

Limits, fits and surface properties

1999, Ed. 2, 844 p., ISBN 92-67-10288-5

Contents

Part 1: Terminology

- ISO 4287:1997** ¹⁾ Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters
- ISO 6318:1985** Measurement of roundness — Terms, definitions and parameters of roundness
- ISO 8785:1998** Geometrical Product Specification (GPS) — Surface imperfections — Terms, definitions and parameters

Part 2: Limits and fits

Part 2.1 General limits and fits

- ISO 1:1975** Standard reference temperature for industrial length measurements
- ISO 286-1:1988** ISO system of limits and fits — Part 1: Bases of tolerances, deviations and fits
- ISO 286-2:1988** ISO system of limits and fits — Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts
- ISO 370:1975** Toleranced dimensions — Conversion from inches into millimetres and vice versa
- ISO 1119:1998** Geometrical Product Specifications (GPS) — Series of conical tapers and taper angles
- ISO 1829:1975** Selection of tolerance zones for general purposes
- ISO/R 1938:1971** ISO system of limits and fits — Part II: Inspection of plain workpieces
- ISO 2538:1998** Geometrical Product Specifications (GPS) — Series of angles and slopes on prisms
- ISO 2768-1:1989** General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications
- ISO 2768-2:1989** General tolerances — Part 2: Geometrical tolerances for features without individual tolerance indications

1) Incorporates the changes made by Technical Corrigendum 1:1998 to ISO 4287:1997

ISO 8062:1994	Castings — System of dimensional tolerances and machining allowances
ISO 13920:1996	Welding — General tolerances for welded constructions — Dimensions for lengths and angles — Shape and position
ISO/TR 14638:1995	Geometrical product specification (GPS) — Masterplan

Part 2.2: Limits and fits for screw threads

ISO 7-1:1994	Pipe threads where pressure-tight joints are made on the threads — Part 1: Dimensions, tolerances and designation
ISO 7-2:1982	Pipe threads where pressure-tight joints are made on the threads — Part 2: Verification by means of limit gauges
ISO 228-1:1994	Pipe threads where pressure-tight joints are not made on the threads — Part 1: Dimensions, tolerances and designation
ISO 228-2:1987	Pipe threads where pressure-tight joints are not made on the threads — Part 2: Verification by means of limit gauges
ISO 965-1:1980	ISO general purpose metric screw threads — Tolerances — Part 1: Principles and basic data
ISO 965-2:1980	ISO general purpose metric screw threads — Tolerances — Part 2: Limits of sizes for general purpose bolt and nut threads — Medium quality
ISO 965-3:1980	ISO general purpose metric screw threads — Tolerances — Part 3: Deviations for constructional threads
ISO/R 1501:1970	ISO miniature screw threads
ISO 1502:1996	ISO general-purpose metric screw threads — Gauges and gauging
ISO 2903:1993	ISO metric trapezoidal screw threads — Tolerances
ISO 5864:1993	ISO inch screw threads — Allowances and tolerances

Part 2.3 Limits and fits for gears and involute splines

ISO 1328-1:1995	Cylindrical gears — ISO system of accuracy — Part 1: Definitions and allowable values of deviations relevant to corresponding flanks of gear teeth
ISO 1328-2:1997	Cylindrical gears — ISO system of accuracy — Part 2: Definitions and allowable values of deviations relevant to radial composite deviations and runout information
ISO 4156:1981	Straight cylindrical involute splines — Metric module, side fit — Generalities, dimensions and inspection
ISO 4156:1981 / Amd.1:1992	Amendment 1:1992 to ISO 4156:1981 Section three: Inspection
ISO 4468:1982	Gear hobs — Single start — Accuracy requirements

Part 3: Properties of surfaces

ISO 3274:1996 ²⁾	Geometrical Product Specifications (GPS) — Surface texture: Profile method — Nominal characteristics of contact (stylus) instruments
ISO 4288:1996 ³⁾	Geometrical Product Specifications (GPS) — Surface texture: Profile method — Rules and procedures for the assessment of surface texture
ISO 4291:1985	Methods for the assessment of departure from roundness — Measurement of variations in radius
ISO 4292:1985	Methods for the assessment of departure from roundness — Measurement by two- and three-point methods
ISO 5436:1985	Calibration specimens — Stylus instruments — Types, calibration and use of specimens
ISO 11562:1996 ⁴⁾	Geometrical Product Specifications (GPS) — Surface texture: Profile method — Metrological characteristics of phase correct filters
ISO 12085:1996 ⁵⁾	Geometrical Product Specification (GPS) — Surface texture: Profile method — Motif parameters
ISO 13565-1:1996 ⁶⁾	Geometrical Product Specification (GPS) — Surface texture: Profile method; Surfaces having stratified functional properties — Part 1: Filtering and general measurement conditions
ISO 13565-2:1996 ⁷⁾	Geometrical Product Specification (GPS) — Surface texture: Profile method; Surfaces having stratified functional properties — Part 2: Height characterization using the linear material ratio curve

2) Incorporates the changes made by Technical Corrigendum 1:1998 to ISO 3274:1996

3) Incorporates the changes made by Technical Corrigendum 1:1998 to ISO 4288:1996

4) Incorporates the changes made by Technical Corrigendum 1:1998 to ISO 11562:1996

5) Incorporates the changes made by Technical Corrigendum 1:1998 to ISO 12085:1996

6) Incorporates the changes made by Technical Corrigendum 1:1998 to ISO 13565-1:1996

7) Incorporates the changes made by Technical Corrigendum 1:1998 to ISO 13565-2:1996